



Professional. Reliable. Accurate.

alpha
TITAN *α*

RÖWA 
Röbler | AUSTRIA

The Entry to the TITAN World



TITAN^{alpha}® *Professional. Reliable. Accurate...*

... these principles have guided Röbbler AUSTRIA for more than a decade now. These guiding concepts describe the essentials of our approach.

We now have developed a weapon that focuses solely on these three characteristics. Professional workmanship, reliable

technology, precision quality—all „Made in AUSTRIA“!

This weapon stands up to rugged handling and still is elegant in appearance, and all this at an unbeatable price. Professional. Reliable. Accurate. We concentrate on the essentials.

TITAN ^{alpha} **α**



1 The barrel is manufactured from specialist gun barrel steel and fitted in the action casing with a recoil bed. This technology allows for an interchangeable barrel system, which in turn allows the hunter to change caliber for different quarry species. A great plus point for the hunter, who may want to use the same weapon for both hunting from a hide and tracking.

2 Loading and unloading the rifle is very straightforward using

the detachable magazine. Extended magazines are available.

3 The firing pin is cocked using a double tension guide with a chamber opening angle of 60°. This means the repeating action is easy and fast.

4 The cylinder breech block is equipped with a three lug bolt locking mechanism. The three lugs ensure a large contact surface in the barrel and thus provide maximum safety.

Technical Data

Barrel:	Special rifle-barrel steel; Standard- and Short-Caliber 560 mm; Magnum-Caliber 610mm; rifle is designed for interchangeable barrels Available in burnished and stainless.
Available caliber :	Short: 308Win. 8x57IS Standard: .25-06Rem. .270Win. 7x64 .30-06Spring. Magnum: 7mmRem.Mag
Stock:	polymer, recoil absorbing rubber butt plate, checkering on the pistol grip and fore-end, sling swivel
Bolt:	symmetrically arranged 3-lug bolt; locked directly in the barrel with only 60° bolt lift; short strike distance for an extremely short lock time of only 1.6 milliseconds; double tension guide for comfortable repeating
Trigger:	short, dry trigger; direct acting trigger travel distance, set to 0.3 – 0.4 mm trigger path
Safety catch:	ergonomically shaped 3-position safety catch on the grip; triple action with tab and bolt knob on the trigger, sear and bolt.
Magazine:	removable stack magazine for 2-shots with magnum calibers and 3 shots with standard calibers; extended magazine +2 shots at extra charge.
Telescopic sight assembly (at extra charge):	assembly with tapped holes 6-48 UNS prepared on receiver; assembly parts are special accessories (at extra charge).
Weight:	approx. 2.9kg

Subject to technical modifications. Country specific differences in the model-configurations are possible!

Röbler Waffen GmbH
(Roessler Waffen GmbH)
Prof. Schlosser-Str. 31
6330 Kufstein
AUSTRIA
office@titan6.com
www.titan6.com

dealer stamp



TITAN^{alpha}®

Available as burnished version
or stainless steel version